

No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.

20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : TOWER SEMI CONDUCTOR LTD.

Sample Name : SILICON WAFERS

Style/Item No. : 0.13µ 8" TOWER SEMICONDUCTOR MH FAB2

\_\_\_\_\_\_

Sample Receiving Date : 28-Dec-2020

Testing Period : 28-Dec-2020 to 07-Jan-2021

**Test Requested**: (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs,

PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

**Test Results**: Please refer to following pages.

**Conclusion** : (1) Based on the performed tests on submitted sample(s), the test results of

Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive

2011/65/EU.





Page: 1 of 34

PIN CODE: C4D03BAE

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

**Test Part Description** 

No.1 : SILICON WAFERS

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd) (CAS No.: 7440-43-9)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	100
Lead (Pb) (CAS No.: 7439-92-1)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Mercury (Hg) (CAS No.: 7439-97-6)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI) (CAS No.: 18540-29-9)	With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.	mg/kg	8	n.d.	1000
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	=	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether	]	mg/kg	5	n.d.	-
Octabromodiphenyl ether	1	mg/kg	5	n.d.	-
Nonabromodiphenyl ether	1	mg/kg	5	n.d.	-
Decabromodiphenyl ether	1	mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	=	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 2 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Butyl benzyl phthalate (BBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
85-68-7)	analysis was performed by GC/MS.				
Dibutyl phthalate (DBP) (CAS No.: 84-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
74-2)	analysis was performed by GC/MS.				
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
(CAS No.: 117-81-7)	analysis was performed by GC/MS.				
Diisobutyl phthalate (DIBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
84-69-5)	analysis was performed by GC/MS.				
Diisodecyl phthalate (DIDP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
26761-40-0, 68515-49-1)	analysis was performed by GC/MS.				
Diisononyl phthalate (DINP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
28553-12-0, 68515-48-0)	analysis was performed by GC/MS.				
Di-n-octyl phthalate (DNOP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
117-84-0)	analysis was performed by GC/MS.				
Bis(2-methoxyethyl) phthalate (DMEP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(CAS No.: 117-82-8)	analysis was performed by GC/MS.				
1,2-Benzenedicarboxylic acid, di-C7-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
11-branched and linear alkyl esters	analysis was performed by GC/MS.				
(DHNUP) (CAS No.: 68515-42-4)					
1,2-Benzenedicarboxylic acid, di-C6-8-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
branched alkyl esters, C7-rich (DIHP)	analysis was performed by GC/MS.	3 3			
(CAS No.: 71888-89-6)					
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
	2007, analysis was performed by	J. J			
	GC/MS.				
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C:	mg/kg	5	n.d.	-
	2007, analysis was performed by	J. J			
	GC/MS.				
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
	2007, analysis was performed by	<i>J, J</i>			
	GC/MS.				
Short Chain Chlorinated Paraffins(C10-	With reference to US EPA 3550C:	mg/kg	100	n.d.	-
C13) (SCCP) (CAS No.: 85535-84-8)	2007, analysis was performed by	ر بر			
	GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 3 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
AZO				110.2	
2,4,5-trimethylaniline (CAS No.: 137- 17-7)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	1
2,4-diaminoanisole (CAS No.: 615-05- 4)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
2,4-xylidine (CAS No.: 95-68-1)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
2,6-xylidine (CAS No.: 87-62-7)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
2-naphthylamine (CAS No.: 91-59-8)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
3,3'-dichlorobenzidine (CAS No.: 91- 94-1)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
3,3'-dimethylbenzidine (CAS No.: 119- 93-7)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
4-aminoazobenzene (CAS No.: 60-09-3)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
4-aminodiphenyl (CAS No.: 92-67-1)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
4-chloroaniline (CAS No.: 106-47-8)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
4-chloro-o-toluidine (CAS No.: 95-69- 2)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
Benzidine (CAS No.: 92-87-5)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
o-aminoazotoluene (CAS No.: 97-56-3)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-
o-anisidine (CAS No.: 90-04-0)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan

Page: 5 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
o-toluidine (CAS No.: 95-53-4)	With reference to LFGB 82.02-2: 2013, analysis was performed by GC/MS.	mg/kg	3	No.1 n.d.	-
Asbestos					
Actinolite (CAS No.: 77536-66-4)		%	-	Negative	-
Amosite (CAS No.: 12172-73-5)	With reference to EPA 600/R-93/116:	%	-	Negative	-
Anthophyllite (CAS No.: 77536-67-5)	1993, analysis was performed by Stereo Microscope (SM), Dispersion	%	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)	Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction	%	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	Spectrometer (XRD).	%	-	Negative	-
Tremolite (CAS No.: 77536-68-6)		%	-	Negative	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194- 55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Formaldehyde (CAS No.: 50-00-0)	With reference to ISO 17226-1: 2018, analysis was performed by LC/DAD.	mg/kg	3	n.d.	-
Perchlorates (CAS No.: 7601-90-3)	Analysis was performed by IC.	μg/g	0.1	n.d.	-
2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320) (CAS No.: 3846- 71-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
PFOS and its salts (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Diarsenic trioxide (As <sub>2</sub> O <sub>3</sub> ) (CAS No.: 1327-53-3)	Calculated from the result of Arsenic.	mg/kg	2▲	n.d.	-
Diarsenic pentaoxide (As <sub>2</sub> O <sub>5</sub> ) (CAS No.: 1303-28-2)	Calculated from the result of Arsenic.	mg/kg	2▲	n.d.	-
Tributyl tin (TBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Triphenyl tin (TPhT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
N,N-Dimethylacetamide (DMAC) (CAS No.: 127-19-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
4-tert-Octylphenol; 1,1,3,3- Tetramethyl-4-butylphenol (CAS No.: 140-66-9)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
Hexabromobenzene (CAS No.: 87-82-1)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	1
Brominated styrene	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	1
TBBP-A-bis (CAS No.: 21850-44-2)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	With reference to RSTS-E&E-121, analysis was performed by LC/MS.	mg/kg	10	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 7 of 34



No.: ETR20C07132 Date: 07-Jan-2021 Page: 8 of 34

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Monomethyl dibromodiphenyl	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
methane (DBBT) (CAS No.: 99688-47-8)	2007, analysis was performed by				
	GC/MS.				
Monomethyl dichlorodiphenyl	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
methane (Ugilec121) (CAS No.: 81161-	2007, analysis was performed by				
70-8)	GC/MS.				
Monomethyl tetrachlorodiphenyl	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
methane (Ugilec141) (CAS No.: 76253-	2007, analysis was performed by				
60-6)	GC/MS.				
Polyvinyl chloride (PVC)	With reference to ASTM E1252:	**	-	Negative	-
	2013, analysis was performed by FT-				
	IR and Flame Test.				
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052:	mg/kg	2	n.d.	-
	1996, analysis was performed by				
	ICP-OES.				
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582:	mg/kg	50	n.d.	-
	2016, analysis was performed by IC.				
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582:	mg/kg	50	n.d.	-
	2016, analysis was performed by IC.				
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582:	mg/kg	50	n.d.	-
	2016, analysis was performed by IC.				
lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582:	mg/kg	50	n.d.	-
	2016, analysis was performed by IC.				
Halon-1211 (CAS No.: 353-59-3)		mg/kg	1	n.d.	
	With reference to US EPA 5021A:				
Halon-1301 (CAS No.: 75-63-8)	2014, analysis was performed by	mg/kg	1	n.d.	
	GC/MS.				
Halon-2402 (CAS No.: 124-73-2)	CC/WS.	mg/kg	1	n.d.	-
Bromomethane (CAS No.: 74-83-9)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-21 (CAS No.: 75-43-4)		mg/kg	1	n.d.	-
HCFC-22 (CAS No.: 75-45-6)		mg/kg	1	n.d.	-
HCFC-31 (CAS No.: 593-70-4)		mg/kg	1	n.d.	-
HCFC-121 (CAS No.: 354-14-3)		mg/kg	1	n.d.	ı
HCFC-122 (CAS No.: 354-21-2)		mg/kg	1	n.d.	ı
HCFC-123 (CAS No.: 306-83-2)		mg/kg	1	n.d.	ı
HCFC-124 (CAS No.: 2837-89-0)		mg/kg	1	n.d.	ı
HCFC-131 (CAS No.: 359-28-4)		mg/kg	1	n.d.	ı
HCFC-132b (CAS No.: 1649-08-7)		mg/kg	1	n.d.	ı
HCFC-133a (CAS No.: 75-88-7)		mg/kg	1	n.d.	-
HCFC-142b (CAS No.: 75-68-3)		mg/kg	1	n.d.	-
HCFC-221 (CAS No.: 422-26-4)		mg/kg	1	n.d.	-
HCFC-222 (CAS No.: 422-49-1)		mg/kg	1	n.d.	-
HCFC-223 (CAS No.: 422-52-6)		mg/kg	1	n.d.	-
HCFC-224 (CAS No.: 422-54-8)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)	2014, analysis was performed by	mg/kg	1	n.d.	-
HCFC-225cb (CAS No.: 507-55-1)	GC/MS.	mg/kg	1	n.d.	-
HCFC-226 (CAS No.: 431-87-8)		mg/kg	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)		mg/kg	1	n.d.	ı
HCFC-232 (CAS No.: 460-89-9)		mg/kg	1	n.d.	ı
HCFC-233 (CAS No.: 7125-84-0)		mg/kg	1	n.d.	ı
HCFC-234 (CAS No.: 425-94-5)		mg/kg	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)		mg/kg	1	n.d.	ı
HCFC-241 (CAS No.: 666-27-3)		mg/kg	1	n.d.	ı
HCFC-242 (CAS No.: 460-63-9)		mg/kg	1	n.d.	-
HCFC-244		mg/kg	1	n.d.	-
HCFC-251 (CAS No.: 421-41-0)		mg/kg	1	n.d.	-
HCFC-252 (CAS No.: 819-00-1)		mg/kg	1	n.d.	-
HCFC-261 (CAS No.: 420-97-3)		mg/kg	1	n.d.	-
HCFC-262 (CAS No.: 421-02-03)		mg/kg	1	n.d.	1
HCFC-271 (CAS No.: 430-55-7)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-141b (CAS No.: 1717-00-6)		mg/kg	1	n.d.	-
HCFC-243 (CAS No.: 460-69-5)		mg/kg	1	n.d.	-
HCFC-253 (CAS No.: 460-35-5)		mg/kg	1	n.d.	-
CFC-13 (CAS No.: 75-72-9)		mg/kg	1	n.d.	-
CFC-111 (CAS No.: 354-56-3)		mg/kg	1	n.d.	-
CFC-112 (CAS No.: 76-12-0)		mg/kg	1	n.d.	-
CFC-211 (CAS No.: 422-78-6)		mg/kg	1	n.d.	-
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
CFC-213 (CAS No.: 2354-06-5)	2014, analysis was performed by	mg/kg	1	n.d.	-
CFC-214 (CAS No.: 29255-31-0)	GC/MS.	mg/kg	1	n.d.	-
CFC-215 (CAS No.: 4259-43-2)	GC/W/3.	mg/kg	1	n.d.	-
CFC-216 (CAS No.: 661-97-2)		mg/kg	1	n.d.	-
CFC-217 (CAS No.: 422-86-6)		mg/kg	1	n.d.	-
CFC-12 (CAS No.: 75-71-8)		mg/kg	1	n.d.	-
CFC-11 (CAS No.: 75-69-4)		mg/kg	1	n.d.	-
CFC-115 (CAS No.: 76-15-3)		mg/kg	1	n.d.	-
CFC-114 (CAS No.: 76-14-2)		mg/kg	1	n.d.	-
CFC-113 (CAS No.: 76-13-1)		mg/kg	1	n.d.	-
Perfluorohexane (CAS No.: 355-42-0)		mg/kg	1	n.d.	-
2-Perfluoromethylpentane (CAS No.:		mg/kg	1	n.d.	-
355-04-4)					
Perfluoro-n-pentane (CAS No.: 678-26-		mg/kg	1	n.d.	-
2)					
Nonafluor-2- (trifluoromethyl)butane		mg/kg	1	n.d.	-
(CAS No.: 594-91-2)	With reference to US EPA 5021A:				
1,4-dihydrooctafluorobutane (CAS No.:	2014, analysis was performed by	mg/kg	1	n.d.	-
377-36-6)	GC/MS.				
Perfluorisobutene (CAS No.: 382-21-8)	GC/WI3.	mg/kg	1	n.d.	-
Freon C318 (CAS No.: 115-25-3)		mg/kg	1	n.d.	-
Decafluorobutane (CAS No.: 355-25-9)		mg/kg	1	n.d.	-
Freon 218 (CAS No.: 76-19-7)		mg/kg	1	n.d.	-
Fluorocarbon 116 (CAS No.: 76-16-4)		mg/kg	1	n.d.	-
F14 (CAS No.: 75-73-0)		mg/kg	1	n.d.	-
Perfluor-1-butene (CAS No.: 357-26-6)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-271B1 (C3H6FBr)		mg/kg	1	n.d.	-
HBFC-262B1 (C3H5F2Br)		mg/kg	1	n.d.	-
HBFC-261B2 (C3H5FBr2)		mg/kg	1	n.d.	-
HBFC-253B1 (C3H4F3Br)		mg/kg	1	n.d.	-
HBFC-252B2 (C3H4F2Br2)		mg/kg	1	n.d.	-
HBFC-251B3 (C3H4FBr3)		mg/kg	1	n.d.	-
HBFC-244B1 (C3H3F4Br)		mg/kg	1	n.d.	-
HBFC-243B2 (C3H3F3Br2)		mg/kg	1	n.d.	-
HBFC-242B3 (C3H3F2Br3)		mg/kg	1	n.d.	-
HBFC-241B4 (C3H3FBr4)		mg/kg	1	n.d.	-
HBFC-235B1 (C3H2F5Br)		mg/kg	1	n.d.	-
HBFC-234B2 (C3H2F4Br2)		mg/kg	1	n.d.	-
HBFC-233B3 (C3H2F3Br3)		mg/kg	1	n.d.	-
HBFC-232B4 (C3H2F2Br4)		mg/kg	1	n.d.	-
HBFC-231B5 (C3H2FBr5)		mg/kg	1	n.d.	-
HBFC-226B1 (C3HF6Br)		mg/kg	1	n.d.	-
HBFC-225B2 (C3HF5Br2)		mg/kg	1	n.d.	-
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
HBFC-223B4 (C3HF3Br4)	2014, analysis was performed by	mg/kg	1	n.d.	-
HBFC-222B5 (C3HF2Br5)	GC/MS.	mg/kg	1	n.d.	-
HBFC-221B6 (C3HFBr6)		mg/kg	1	n.d.	-
HBFC-151B1 (C2H4FBr)		mg/kg	1	n.d.	-
HBFC-142B1 (C2H3F2Br)		mg/kg	1	n.d.	-
HBFC-141B2 (C2H3FBr2)		mg/kg	1	n.d.	-
HBFC-133B1 (C2H2F3Br)		mg/kg	1	n.d.	-
HBFC-132B2 (C2H2F2Br2)		mg/kg	1	n.d.	-
HBFC-131B3 (C2H2FBr3)		mg/kg	1	n.d.	-
HBFC-124B1 (C2HF4Br)		mg/kg	1	n.d.	-
HBFC-123B2 (C2HF3Br2)		mg/kg	1	n.d.	-
HBFC-122B3 (C2HF2Br3)		mg/kg	1	n.d.	-
HBFC-121B4 (C2HFBr4)		mg/kg	1	n.d.	-
HBFC-31B1 (CH2FBr) (CAS No.: 373-52-		mg/kg	1	n.d.	-
4)					
HBFC-22B1 (CHF2Br) (CAS No.: 1511-		mg/kg	1	n.d.	-
62-2)					
HBFC-21B2 (CHFBr2) (CAS No.: 1868-		mg/kg	1	n.d.	-
53-7)					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 11 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HFC-23 (CHF3) (CAS No.: 75-46-7)		mg/kg	1	n.d.	ı
HFC-32 (CH2F2) (CAS No.: 75-10-5)		mg/kg	1	n.d.	-
HFC-41 (CH3F) (CAS No.: 593-53-3)		mg/kg	1	n.d.	-
HFC-43-10mee (C5H2F10)		mg/kg	1	n.d.	-
HFC-125 (C2HF5)		mg/kg	1	n.d.	-
HFC-134 (C2H2F4)		mg/kg	1	n.d.	-
HFC-134a (CH2FCF3) (CAS No.: 811-		mg/kg	1	n.d.	-
97-2)					
HFC-143 (CH3F3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
HFC-143a (CH3F3)	2014, analysis was performed by	mg/kg	1	n.d.	ı
HFC-152a (C2H4F2) (CAS No.: 75-37-6)	GC/MS.	mg/kg	1	n.d.	-
HFC-227ea (C3HF7) (CAS No.: 431-89- 0)		mg/kg	1	n.d.	-
HFC-236fa (CAS No.: 431-63-0)		m a /l a	1	n.d.	_
HFC-245ca (C3H3F5)		mg/kg	1	n.d.	-
HFC-2456a (C3H3F5)		mg/kg mg/kg	1	n.d.	
HFC-365mfc (C4H5F5)		mg/kg	1	n.d.	-
HFC-236ea (C3H2F6) (CAS No.: 431-63-		mg/kg	<u>_</u>	n.d.	
0)		ilig/kg	1	i ii.u.	_
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)		mg/kg	1	n.d.	-
trans-1,2-Dichloroethene (CAS No.: 156-60-5)		mg/kg	1	n.d.	-
Dichloromethane, Methylene chloride (CAS No.: 75-09-2)	NATUL (	mg/kg	1	n.d.	-
Hexachlorobutadiene (CAS No.: 87-68-3)	With reference to US EPA 5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	GC/MS.	mg/kg	1	n.d.	-
cis-1,2-Dichloroethene (CAS No.: 156- 59-2)		mg/kg	1	n.d.	-
Chloromethane (CAS No.: 74-87-3)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Carbon tetrachloride (CAS No.: 56-23-		mg/kg	1	n.d.	-
5)					
2,2-Dichloropropane (CAS No.: 594-20-		mg/kg	1	n.d.	-
7)					
1,2-Dichloroethane (CAS No.: 107-06-		mg/kg	1	n.d.	-
2)					
1,1-Dichloropropene (CAS No.: 563-58-		mg/kg	1	n.d.	-
6)					
1,2,3-Trichloropropane (CAS No.: 96-		mg/kg	1	n.d.	-
18-4)					
Chloroform (CAS No.: 67-66-3)		mg/kg	1	n.d.	-
1,2-Dichloropropane (CAS No.: 78-87-		mg/kg	1	n.d.	-
5)					
1,1,1,2-Tetrachloroethane (CAS No.:		mg/kg	1	n.d.	-
630-20-6)		J. J.			
1,1,1-Trichloroethane (CAS No.: 71-55-	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
6)	2014, analysis was performed by	J. J.			
1,1,2-Trichloroethane (CAS No.: 79-00-	GC/MS.	mg/kg	1	n.d.	-
5)		J. J.			
1,1,2,2-Tetrachloroethane (CAS No.:		mg/kg	1	n.d.	-
79-34-5)		J. J.			
1,1-Dichloroethylene (CAS No.: 75-35-		mg/kg	1	n.d.	-
4)		3, 3			
1,1-Dichloroethane (CAS No.: 75-34-3)		mg/kg	1	n.d.	-
		1119/119	-	11.0.	
Chloroethane (CAS No.: 75-00-3)		mg/kg	1	n.d.	_
		1119/119	-	11.0.	
Tetrachloroethene (CAS No.: 127-18-4)		mg/kg	1	n.d.	_
Tetraemoroethene (eris Noi: 127 13 1)		i iig/kg	-	ii.d.	
Trichloroethylene (CAS No.: 79-01-6)		mg/kg	1	n.d.	_
(2/13/140 / 3/140		9/ kg	_	11.0.	
1,3-Dichloropropane (CAS No.: 142-28-		mg/kg	1	n.d.	_
9)		1119/109	<u> </u>	11.0.	
<u>-,</u>					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 13 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Bromochloromethan (CAS No.: 74-97-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Sulfur hexafluoride (CAS No.: 2551-62-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Red Phosphorus	Analysis was performed by Pyrolyzer-GC/MS.	**	ı	Negative	-
Uranium (U) (Radioactive element) (CAS No.: 7440-61-1)	With reference to US EPA 3052: 1996 & 6020B: 2014, analysis was performed by ICP-MS.	mg/kg	1	n.d.	-
Thorium (Th) (Radioactive element) (CAS No.: 7440-29-1)	With reference to US EPA 3052: 1996 & 6020B: 2014, analysis was performed by ICP-MS.	mg/kg	1	n.d.	-
Strontium (Sr) (Radioactive element) (CAS No.: 7440-24-6)	With reference to US EPA 3052: 1996 & 6020B: 2014, analysis was performed by ICP-MS.	mg/kg	1	n.d.	-
Caesium (Cs) (Radioactive element) (CAS No.: 7440-46-2)	With reference to US EPA 3052: 1996 & 6020B: 2014, analysis was performed by ICP-MS.	mg/kg	1	n.d.	-
Dimethyl fumarate (DMFu) (CAS No.: 624-49-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 🛦	n.d.	-
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 14 of 34



No.: ETR20C07132 Date: 07-Jan-2021 Page: 15 of 34

TOWER SEMI CONDUCTOR LTD.

20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Note:

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. \*\*= Qualitative analysis (No Unit)
- 6. Negative = Undetectable ; Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. PFOS and its salts including:

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

9. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$ 

AX	Α	F
Diarsenic pentaoxide	Arsenic	1.5339
Diarsenic trioxide	Arsenic	1.3203
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.024

Parameter Conversion Table: https://eecloud.sgs.com/Region\_TW/DocDownload.aspx#otherDoc

10. The statement of compliance conformity is based on comparison of testing results and limits.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### **Analytical flow chart of Heavy Metal**

These samples were dissolved totally by pre-conditioning method according to below flow chart.

( Cr6+ test method excluded )



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 16 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - PBBs / PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 17 of 34




No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### **Analytical flow chart - Phthalate**

[Test method: IEC 62321-8]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 18 of 34




No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### **Analytical flow chart**

\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 19 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analysis flow chart for determination of Asbestos 【Reference method: EPA 600/R-93/116】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 20 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 21 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - Formaldehyde



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 22 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - PFOA/PFOS



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 23 of 34




No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A \ US EPA 3052】



\* US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 24 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 25 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - Organic phosphorus compounds



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 26 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502


#### Analytical flow chart - TBBP-A-bis

First testing process

Optional screen process

Confirmation process

- - - •



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 27 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - TBBP-A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 28 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### **Analysis flow chart - PVC**



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 29 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 30 of 34




No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart of volatile organic compounds (VOCs)

[Reference method: US EPA 5021A]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 31 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - Red phosphorus



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 32 of 34



No.: ETR20C07132 Date: 07-Jan-2021

TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

#### Analytical flow chart - Dimethyl Fumarate



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 33 of 34




No.: ETR20C07132 Date: 07-Jan-2021


TOWER SEMI CONDUCTOR LTD.
20 SHAUL AMOR AVE. MIGDAL HAEMEK ISRAEL PO BOX 619 2310502

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

#### ETR20C07132



#### ETR20C07132



\*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan

Page: 34 of 34