

Date: 07-Jan-2023

Page: 1 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

The following sample(s) was/were submitted and identified by the applicant as:

No.: ETR23100531

Sample Submitted By : TOWER SEMICONDUCTOR LTD.

Sample Name : SILICON WAFERS

Style/Item No. : 0.18µ 8" TOWER SEMICONDUCTOR MH FAB3 (CA18, CS18)

Order No. : 4500370797

Sample Receiving Date : 04-Jan-2023

Testing Period : 04-Jan-2023 to 07-Jan-2023

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs,

PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results: Please refer to following pages.

Conclusion : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium,

Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Troy Chang / Department Malager
Signed for and on behalf of Alwah
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 488D89C0



No.: ETR23100531 Date: 07-Jan-2023 Page: 2 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Part Description

No.1 : SILICON WAFERS

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd) (CAS No.: 7440-43-9)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	100
Lead (Pb) (CAS No.: 7439-92-1)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Mercury (Hg) (CAS No.: 7439-97-6)	With reference to IEC 62321-4: 2013+AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI) (CAS No.: 18540-29-9)	With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.	mg/kg	8	n.d.	1000
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	=	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether]	mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	=	n.d.	1000



No.: ETR23100531 Date: 07-Jan-2023 Page: 3 of 43

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Butyl benzyl phthalate (BBP) (CAS No.: 85-68-7)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Dibutyl phthalate (DBP) (CAS No.: 84-74-2)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP) (CAS No.: 84-69-5)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-



No.: ETR23100531 Date: 07-Jan-2023 Page: 4 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	No.1 n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8) AZO Dyes	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
4-aminodiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloro-o-toluidine (CAS No.: 95-69- 2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-aminoazotoluene (CAS No.: 97-56-3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminoanisole (CAS No.: 615-05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dichlorobenzidine (CAS No.: 91-94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
3,3'-dimethoxybenzidine (CAS No.:	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
119-90-4)	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
3,3'-dimethylbenzidine (CAS No.: 119-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
93-7)	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
3,3'-dimethyl-4,4'-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
diaminodiphenylmethane (CAS No.:	2017, analysis was performed by				
838-88-0)	GC/MS and HPLC/DAD.				
2-methoxy-5-methylaniline (CAS No.:	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
120-71-8)	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
4,4'-methylene-bis-(2-chloroaniline)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
(CAS No.: 101-14-4)	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
2,4,5-trimethylaniline (CAS No.: 137-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
17-7)	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 5 of 43



No.: ETR23100531 Date: 07-Jan-2023 Page: 6 of 43

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
4-aminoazobenzene (CAS No.: 60-09-3)	With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.	mg/kg	3	n.d.	-
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Formaldehyde (CAS No.: 50-00-0)	With reference to ISO 17226-1: 2021, analysis was performed by LC/DAD.	mg/kg	3	n.d.	-
Asbestos					
Actinolite (CAS No.: 77536-66-4)		-	-	Negative	-
Amosite (CAS No.: 12172-73-5)	With reference to EPA 600/R-93/116:	-	-	Negative	-
Anthophyllite (CAS No.: 77536-67-5)	1993, analysis was performed by Stereo Microscope (SM), Dispersion	-	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)	Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction	-	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	Spectrometer (XRD).	-	-	Negative	-
Tremolite (CAS No.: 77536-68-6)		-	-	Negative	-
Dimethyl fumarate (DMFu) (CAS No.: 624-49-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Chlorofluorocarbons (CFCs)					
CFC-13 (CAS No.: 75-72-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-111 (CAS No.: 354-56-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-112 (CAS No.: 76-12-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-211 (CAS No.: 422-78-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-213 (CAS No.: 2354-06-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-214 (CAS No.: 29255-31-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-215 (CAS No.: 4259-43-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-216 (CAS No.: 661-97-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-217 (CAS No.: 422-86-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-12 (CAS No.: 75-71-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 7 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
CFC-11 (CAS No.: 75-69-4)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
CFC-115 (CAS No.: 76-15-3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
CFC-114 (CAS No.: 76-14-2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
CFC-113 (CAS No.: 76-13-1)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
Hydrochlorofluorocarbons (HCFCs)					
HCFC-21 (CAS No.: 75-43-4)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
,	2014, analysis was performed by				
	GC/MS.				
HCFC-22 (CAS No.: 75-45-6)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
,	2014, analysis was performed by				
	GC/MS.				
HCFC-31 (CAS No.: 593-70-4)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HCFC-121 (CAS No.: 354-14-3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
, ,	2014, analysis was performed by				
	GC/MS.				
HCFC-122 (CAS No.: 354-21-2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
,	2014, analysis was performed by	J. 3			
	GC/MS.				
HCFC-123 (CAS No.: 306-83-2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
,	2014, analysis was performed by	J. 3			
	GC/MS.				
HCFC-124 (CAS No.: 2837-89-0)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 8 of 43



No.: ETR23100531 Date: 07-Jan-2023 Page: 9 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-131 (CAS No.: 359-28-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-132b (CAS No.: 1649-08-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-133a (CAS No.: 75-88-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-142b (CAS No.: 75-68-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-221 (CAS No.: 422-26-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-222 (CAS No.: 422-49-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-223 (CAS No.: 422-52-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-224 (CAS No.: 422-54-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225cb (CAS No.: 507-55-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-226 (CAS No.: 431-87-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
HCFC-232 (CAS No.: 460-89-9)	With reference to US EPA 5021A:	mg/kg	1	No.1 n.d.	-
	2014, analysis was performed by GC/MS.				
HCFC-233 (CAS No.: 7125-84-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-241 (CAS No.: 666-27-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-242 (CAS No.: 460-63-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-244	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-251 (CAS No.: 421-41-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-252 (CAS No.: 819-00-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-261 (CAS No.: 420-97-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-262 (CAS No.: 421-02-03)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-271 (CAS No.: 430-55-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 43



No.: ETR23100531 Date: 07-Jan-2023 Page: 11 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-141b (CAS No.: 1717-00-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-243 (CAS No.: 460-69-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-253 (CAS No.: 460-35-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-141	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-142	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-151	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halons					
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	1
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Methyl Bromide (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Hydrobromofluorocarbons (HBFCs)					
HBFC-271B1 (C3H6FBr)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-262B1 (C3H5F2Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-261B2 (C3H5FBr2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-253B1 (C3H4F3Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-252B2 (C3H4F2Br2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-251B3 (C3H4FBr3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-244B1 (C3H3F4Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-243B2 (C3H3F3Br2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-242B3 (C3H3F2Br3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-241B4 (C3H3FBr4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-235B1 (C3H2F5Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 43



No.: ETR23100531 Date: 07-Jan-2023 Page: 13 of 43

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-234B2 (C3H2F4Br2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-233B3 (C3H2F3Br3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-232B4 (C3H2F2Br4)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-231B5 (C3H2FBr5)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-226B1 (C3HF6Br)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-225B2 (C3HF5Br2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-223B4 (C3HF3Br4)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-222B5 (C3HF2Br5)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-221B6 (C3HFBr6)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-151B1 (C2H4FBr)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-142B1 (C2H3F2Br)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				



No.: ETR23100531 Date: 07-Jan-2023 Page: 14 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-141B2 (C2H3FBr2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-133B1 (C2H2F3Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-132B2 (C2H2F2Br2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-131B3 (C2H2FBr3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-124B1 (C2HF4Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-123B2 (C2HF3Br2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-122B3 (C2HF2Br3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-121B4 (C2HFBr4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-31B1 (CH2FBr) (CAS No.: 373-52-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-22B1 (CHF2Br) (CAS No.: 1511-62-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-21B2 (CHFBr2) (CAS No.: 1868- 53-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR23100531 Date: 07-Jan-2023

Page: 15 of 43

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Chlorinate hydrocarbon (CHCs)					
1,1-Dichloropropene (CAS No.: 563-58-		mg/kg	1	n.d.	-
6)	2014, analysis was performed by GC/MS.				
1,2-Dichloroethane (CAS No.: 107-06-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2,2-Dichloropropane (CAS No.: 594-20-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Carbon tetrachloride (CAS No.: 56-23-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Chloromethane (CAS No.: 74-87-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
cis-1,2-Dichloroethene (CAS No.: 156-59-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Hexachlorobutadiene (CAS No.: 87-68-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
trans-1,2-Dichloroethene (CAS No.: 156-60-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Dichloromethane, Methylene chloride (CAS No.: 75-09-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
1,2-Dichloropropane (CAS No.: 78-87-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	No.1 n.d.	-
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,1-Trichloroethane (CAS No.: 71-55-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,2-Trichloroethane (CAS No.: 79-00-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1-Dichloroethylene (CAS No.: 75-35-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1-Dichloroethane (CAS No.: 75-34-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Tetrachloroethene (CAS No.: 127-18-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,3-Dichloropropane (CAS No.: 142-28-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 16 of 43



No.: ETR23100531 Date: 07-Jan-2023 Page: 17 of 43

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
1,2,3-Trichloropropane (CAS No.: 96- 18-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Hydrofluorocarbon (HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-32 (CH2F2) (CAS No.: 75-10-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-41 (CH3F) (CAS No.: 593-53-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-43-10mee (C5H2F10)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-125 (C2HF5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-134 (C2H2F4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-134a (CH2FCF3) (CAS No.: 811- 97-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-143 (CH3F3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-143a (CH3F3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-152a (C2H4F2) (CAS No.: 75-37-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
HFC-227ea (C3HF7) (CAS No.: 431-89- 0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-236fa (CAS No.: 431-63-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-245ca (C3H3F5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-245fa (C3H3F5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-365mfc (C4H5F5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-236ea (C3H2F6) (CAS No.: 431-63- 0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluorocarbon (PFCs)					
1,4-dihydrooctafluorobutane (CAS No.: 377-36-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2-Perfluoromethylpentane (CAS No.: 355-04-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Decafluorobutane (CAS No.: 355-25-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
F14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Fluorocarbon 116 (CAS No.: 76-16-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 18 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Nonafluor-2- (trifluoromethyl)butane (CAS No.: 594-91-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluorisobutene (CAS No.: 382-21-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluoro-n-pentane (CAS No.: 678-26-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluor-1-butene (CAS No.: 357-26-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Sulfur hexafluoride (CAS No.: 2551-62-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Bromochloromethan (CAS No.: 74-97-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 19 of 43



No.: ETR23100531 Date: 07-Jan-2023 Page: 20 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Triphenyl tin (TPT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Tributyl tin (TBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Dioctyl tin (DOT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Dibutyl tin (DBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: Calculated from the result of Tributyl mg/kg 0.03 n.d Tin (TBT). Hexabromobenzene (CAS No.: 87-82-1) With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d With reference to US EPA 3550C: mg/kg 5 n.d	Test Item(s)	Method	Unit	MDL	Result	Limit
analysis was performed by GC/FPD. Tributyl tin (TBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Dioctyl tin (DOT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Dibutyl tin (DBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: Calculated from the result of Tributyl Tin (TBT). Hexabromobenzene (CAS No.: 87-82-1) With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS. Brominated styrene With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.					No.1	
Tributyl tin (TBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Dioctyl tin (DOT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. With reference to ISO 17353: 2004, analysis was performed by GC/FPD. With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: Calculated from the result of Tributyl Tin (TBT). Hexabromobenzene (CAS No.: 87-82-1) With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	riphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
analysis was performed by GC/FPD. Dioctyl tin (DOT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Dibutyl tin (DBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: Calculated from the result of Tributyl Tin (TBT). Hexabromobenzene (CAS No.: 87-82-1) With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.		analysis was performed by GC/FPD.				
Dioctyl tin (DOT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Dibutyl tin (DBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: Calculated from the result of Tributyl Tin (TBT). Hexabromobenzene (CAS No.: 87-82-1) With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	ributyl tin (TBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
analysis was performed by GC/FPD. Dibutyl tin (DBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: Calculated from the result of Tributyl Tin (TBT). Hexabromobenzene (CAS No.: 87-82-1) With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.		, ,				
Dibutyl tin (DBT) With reference to ISO 17353: 2004, analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) Hexabromobenzene (CAS No.: 87-82-1) With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.	Dioctyl tin (DOT)	·	mg/kg	0.03	n.d.	-
analysis was performed by GC/FPD. Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) Hexabromobenzene (CAS No.: 87-82- 1) Brominated styrene Analysis was performed by GC/FPD. mg/kg 0.03 ▲ n.d. - mg/kg 5 n.d. - mg/kg 0.03						
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) Hexabromobenzene (CAS No.: 87-82- 1) Brominated styrene Calculated from the result of Tributyl Tin (TBT). With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.	Pibutyl tin (DBT)	•	mg/kg	0.03	n.d.	-
Tin (TBT). Hexabromobenzene (CAS No.: 87-82- 1) Brominated styrene With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. Tin (TBT). mg/kg 5 n.d 2007, analysis was performed by GC/MS.						
Hexabromobenzene (CAS No.: 87-82- 1) Brominated styrene With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. mg/kg 5 n.d mg/kg 5 n.d	is(tributyltin) oxide (TBTO) (CAS No.:	Calculated from the result of Tributyl	mg/kg	0.03 ▲	n.d.	-
1) 2007, analysis was performed by GC/MS. Brominated styrene With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.	· · · · · · · · · · · · · · · · · · ·	` '				
GC/MS. Brominated styrene With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.	lexabromobenzene (CAS No.: 87-82-		mg/kg	5	n.d.	-
Brominated styrene With reference to US EPA 3550C: mg/kg 5 n.d 2007, analysis was performed by GC/MS.	.)					
2007, analysis was performed by GC/MS.		GC/MS.				
GC/MS.	rominated styrene	With reference to US EPA 3550C:	mg/kg	5	n.d.	-
		2007, analysis was performed by				
TBBP-A-bis (CAS No.: 21850-44-2) With reference to US EPA 3550C: mg/kg 5 n.d		GC/MS.				
, , , , , , , , , , , , , , , , , , ,	BBP-A-bis (CAS No.: 21850-44-2)	With reference to US EPA 3550C:	mg/kg	5	n.d.	-
2007, analysis was performed by		2007, analysis was performed by				
GC/MS.		GC/MS.				
Tetrabromobisphenol A (TBBP-A) (CAS With reference to RSTS-E&E-121, mg/kg 10 n.d	etrabromobisphenol A (TBBP-A) (CAS	With reference to RSTS-E&E-121,	mg/kg	10	n.d.	-
No.: 79-94-7) analysis was performed by LC/MS.	lo.: 79-94-7)	analysis was performed by LC/MS.				
Monomethyl dibromodiphenyl With reference to US EPA 3550C: mg/kg 0.5 n.d	Monomethyl dibromodiphenyl	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
methane (DBBT) (CAS No.: 99688-47-8) 2007, analysis was performed by		2007, analysis was performed by				
GC/MS.		GC/MS.				
Monomethyl dichlorodiphenyl With reference to US EPA 3550C: mg/kg 0.5 n.d	Monomethyl dichlorodiphenyl	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
methane (Ugilec121) (CAS No.: 81161- 2007, analysis was performed by	nethane (Ugilec121) (CAS No.: 81161-	2007, analysis was performed by				
70-8) GC/MS.	0-8)	GC/MS.				
Monomethyl tetrachlorodiphenyl With reference to US EPA 3550C: mg/kg 0.5 n.d	Monomethyl tetrachlorodiphenyl	With reference to US EPA 3550C:	mg/kg	0.5	n.d.	-
methane (Ugilec141) (CAS No.: 76253- 2007, analysis was performed by	nethane (Ugilec141) (CAS No.: 76253-	2007, analysis was performed by				
GC/MS.	0-6)					
Red Phosphorus Analysis was performed by Pyrolyzer- ** - Negative -	ted Phosphorus	Analysis was performed by Pyrolyzer-	**	-	Negative	-
GC/MS.	·					



No.: ETR23100531 Date: 07-Jan-2023 Page: 21 of 43

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Uranium (U) (Radioactive element)	With reference to US EPA 3052: 1996	mg/kg	1	n.d.	
(CAS No.: 7440-61-1)	& 6020B: 2014, analysis was				
	performed by ICP-MS.				
Thorium (Th) (Radioactive element)	With reference to US EPA 3052: 1996	mg/kg	1	n.d.	-
(CAS No.: 7440-29-1)	& 6020B: 2014, analysis was				
	performed by ICP-MS.				
Strontium (Sr) (Radioactive element)	With reference to US EPA 3052: 1996	mg/kg	1	n.d.	-
(CAS No.: 7440-24-6)	& 6020B: 2014, analysis was				
	performed by ICP-MS.				
Caesium (Cs) (Radioactive element)	With reference to US EPA 3052: 1996	mg/kg	1	n.d.	-
(CAS No.: 7440-46-2)	& 6020B: 2014, analysis was				
	performed by ICP-MS.				
Perchlorate (CAS No.: 14797-73-0)	Analysis was performed by IC.	μg/g	0.006	n.d.	-
PFOS and its salts (CAS No.: 1763-23-1	With reference to CEN/TS 15968:	mg/kg	0.01	n.d.	-
and its salts)	2010, analysis was performed by				
	LC/MS/MS.				
2-benzotriazol-2-yl-4,6-di-tert-	With reference to US EPA 3550C:	mg/kg	5	n.d.	-
butylphenol (UV-320) (CAS No.: 3846-	2007, analysis was performed by				
71-7)	GC/MS.				
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Diarsenic trioxide (As ₂ O ₃) (CAS No.:	Calculated from the result of Arsenic.	mg/kg	2▲	n.d.	-
1327-53-3)					
Diarsenic pentaoxide (As ₂ O ₅) (CAS No.:	Calculated from the result of Arsenic.	mg/kg	2▲	n.d.	-
1303-28-2)					
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Boron (B) (CAS No.: 7440-42-8)	With reference to US EPA 3052: 1996,	mg/kg	2	20.8	-
	analysis was performed by ICP-OES.				
Cobalt (Co) (CAS No.: 7440-48-4)	With reference to US EPA 3052: 1996,	mg/kg	2	21.3	-
	analysis was performed by ICP-OES.				
Cobalt dichloride (CoCl ₂) (CAS No.:	Analysis was performed by ICP-OES,	mg/kg	50▲	n.d.	-
7646-79-9)	IC. Calculated from the results of				
	Cobalt, Chlorine.				



No.: ETR23100531 Date: 07-Jan-2023 Page: 22 of 43

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Diethylene glycol dimethyl ether (DEGDME) (CAS No.: 111-96-6)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
4-Tert-octylphenol (CAS No.: 140-66-9)	With reference to US EPA 3550C: 2007, analysis was performed by LC/MS.	mg/kg	10	n.d.	-
N,N-Dimethylacetamide (DMAC) (CAS No.: 127-19-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. PFOS and its salts including:

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

9. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Diarsenic pentaoxide	Arsenic	1.5339
Diarsenic trioxide	Arsenic	1.3203
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.

20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

10. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 23 of 43




No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 24 of 43




No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - PBBs / PBDEs

Optional screen process __.

Confirmation process __.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 25 of 43




No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Phthalate

【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 26 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 27 of 43




No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 28 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Formaldehyde



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 29 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analysis flow chart for determination of Asbestos 【Reference method: EPA 600/R-93/116】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 30 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Dimethyl Fumarate



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 31 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 32 of 43




No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart of volatile organic compounds (VOCs)

【Reference method: US EPA 5021A】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 33 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 34 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 35 of 43




No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - TBBP-A-bis

First testing process
Optional screen process
Confirmation process



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 36 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - TBBP-A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 37 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Red phosphorus



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 38 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 39 of 43




No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 40 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Cobalt dichloride



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 41 of 43



No.: ETR23100531 Date: 07-Jan-2023

TOWER SEMICONDUCTOR LTD.
20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

Analytical flow chart - Organic phosphorus compounds



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 42 of 43




No.: ETR23100531 Date: 07-Jan-2023


TOWER SEMICONDUCTOR LTD. 20 SHAUL AMOR ST. MIGDAL HAEMEK ISRAEL

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR23100531



ETR23100531



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 43 of 43